

1)

A comparison of the clinical performance of various types of supraglottic airway devices in children: A Bayesian network meta-analysis

Takahiro Mihara, Gen Owada, Kazuhiro Uchimoto, Kouji Ka, Takahisa Goto

2)

Efficacy of ramosetron in preventing postoperative nausea and vomiting: An updated meta-analysis with trial sequential analysis

Ayako Yokoi, Takahiro Mihara, Kouji Ka, Takahisa Goto

3)

Predictors of prolonged hospital stay and unplanned admission after paediatric ambulatory surgery: A retrospective study

Takaya Nishida, Takahiro Mihara, Kouji Ka

4)

Establishment of a scoring system for predicting emergence agitation after general anesthesia in children

Saeko Miyazaki, Takahiro Mihara, Maai Hino, Takahisa Goto, Kouji Ka

5)

A case report: Continuous administration of vancomycin during on-line hemodiafiltration in the hepatic failure patient with staphylococcus bacteremia

Yu Sakai, Shunsuke Takaki, Takeshi Nomura, Osamu Yamaguchi, Takahisa Goto. Study Group: KAISER Group

6)

Creatinine reduction ratio is a good prognostic factor of perioperative acute kidney injury and long-term renal function after cardiac surgery with cardiopulmonary bypass. A single centre retrospective cohort study

Akiko Anzai, Shunsuke Takaki, Yuri Miyamoto, Tomoya Irie, Osamu Yamaguchi, Takahisa Goto. Study Group: KAISER Group

7)

Low hematocrit on ICU admission is a risk factor of long term outcome in patients who required prolonged mechanical ventilation after cardiovascular surgery. A single center retrospective cohort study

Akito Tsukinaga, Shunsuke Takaki, Takahiro Mihara, Masahide Ohtsuka, Takahisa Goto, Kiyoyasu Kurahashi. Study Group: KAISER Group

8)

A prospective crossover study for assessment of Global End-Diastolic Index to compare of albumin administration compared to crystalloid in the perioperative inflammatory status.

Yumi Saishu, Shunsuke Takaki, Tasuku Yoshida, Takeshi Nomura, Osamu Yamaguchi, Takahisa Goto. Study Group: KAISER Group

9)

Predictors of postoperative hyperglycemia after pediatric cardiac surgery

A single centre retrospective cohort study.

Natsuhiko Yamamoto, Tomoya Irie, Shunsuke Takaki, Nomura Takeshi, Osamu Yamaguchi, Takahisa Goto. Study Group: KAISER Group

10)

Efficiency of high-flow nasal cannula in pediatric patients following cardiac surgery

Masafumi Idei, Tetsuya Miyashita, Yuko Matsuda, Nomura Takeshi, Osamu Yamaguchi, Takahisa Goto

11)

Which provides better postoperative recovery or quality of life after laparoscopic surgery, fentanyl or remifentanyl?

Ayako Asakura, Takahiro Mihara, Takahisa Goto

12)

Unilateral electrical stimulation of the heart 7 acupuncture point to prevent emergence agitation in children: A prospective double blind randomized controlled trial

Nobuhito Nakamura, Takahiro Mihara, Kouji Ka, Takahisa Goto

13)

Comparison of Complications Associated with Tracheal Intubation between Anesthesia Nurses and Anesthesia Residents in Japan

Yukiko Ide, Takahisa Goto

14)

Influence of mental workload on the performance of anesthesiologists during induction of general anesthesia: A patient simulator study

Hitoshi Sato, Tetsuya Miyashita, Hiromasa Kawakami, Takahisa Goto

15)

Evaluation of the maximum force onto the maxillary incisors during endotracheal intubation using simulator. Comparison by anesthetic experience or by types of laryngoscope.

Risako Okamoto, Hitoshi Sato, Takeshi Nomura, Tetsuya Miyashita, Takahisa Goto

16)

The hydroxylase inhibitor dimethyloxallyl glycine protects lung epithelial barriers from LPS-induced injury in mice

Tojo K, Nagamine Y, Goto T